



PHYSICAL THERAPY SECTION
WILLIAM BEAUMONT ARMY MEDICAL CENTER
5005 N. PIEDRAS ST
EL PASO, TEXAS 79920



ACROMIOICLAVICULAR JOINT RECONSTRUCTION

Revised August 2008

Post-op Days 1 – 7

Sling x 4 weeks – Even while sleeping
– Place pillow under shoulder / arm while sleeping for comfort
Hand squeezing exercises
Elbow and wrist active motion (AROM) with shoulder in neutral position at side
Supported pendulum exercises
Ice pack

Goal – Pain control

Weeks 1 – 4

Continue sling x 4 wks
Continue appropriate previous exercises
Active assisted motion (AAROM) supine with wand
– Flexion to 90 degrees
– Abduction to 60 degrees
– ER as tolerated
Gentle shoulder shrugs / scapular retraction without resistance
1-2 Finger Isometrics x 6 (fist in box)
Stationary bike (must wear sling)

Goals

Pain control
AAROM Flexion to 90 degrees, Abduction to 60 degrees

Weeks 4 – 6

D/C Sling
Continue appropriate previous exercises
AAROM supine with wand – ER as tolerated, Flex and Abd same as above
Full pendulum exercises
Light Theraband ex – ER and IR with pillow or towel roll under arm
– Flexion, Extension, Abduction, Scaption to 60 degrees
Standing rows with Theraband
Biceps and supine Triceps PREs with light weight
Treadmill – Walking progression program

Goal – Maintain AAROM Flexion to 90 degrees, Abduction to 60 degrees

Weeks 6 – 8

Continue appropriate previous exercises with increased resistance as tolerated
AAROM – Flexion and Abduction to 90 degrees (supine wand)
– ER as tolerated
– IR as tolerated (wand behind back)

Body blade
Elliptical trainer **with LEs only**

Goals

AAROM Abduction to 90 degrees
Normal rotator cuff strength

Weeks 8 – 10

Continue appropriate previous exercises
AAROM – Flexion and Abduction to 120 degrees (wand, pulley, wall climb)
AROM – Flexion and Abduction to 120 degrees, pain-free
Prone scapular retraction exercises (light weight)
Ball on wall (arcs, alphabet)
BAPS on hands
Push-up plus against wall
UBE forwards and backwards at low resistance
Stairmaster
Pool walking / running – No upper extremity (UE) resistive exercises

Goals

AROM Flexion and Abduction to 120 degrees
30 wall push-ups

Weeks 10 – 12

Continue appropriate previous exercises
AAROM and AROM through full range
PROM / mobilization as needed to regain full motion
Push-up progression – Wall to table
Ball toss with arm at side
Treadmill – Running progression program
Pool therapy – With UE resistance

Goals

Full AROM
30 table push-ups

Months 3 – 4

Continue appropriate previous exercises
Push-up progression – Table to chair
Ball toss overhead
Fitter on hands
Weight training with light weight

Goals

Run 2 miles at easy pace
30 chair push-ups

Months 4 – 6

Continue appropriate previous exercises
Push-ups, regular
Sit-ups
Swimming
Running progression to track
Progressive weight training program
Transition to home / gym program

Goals

Resume all activities
Pass APFT at 9 months post-op

No contact sports until 12 months post-op

BRYAN L. BOYEA
LTC, SP
Chief, Physical Therapy


MICHAEL S. MACHEN
LTC(P), MC
Chief, Orthopedics

Physical Therapy Clinic
William Beaumont Army Medical Center
El Paso, TX 79920
Shoulder Post Op Phase 1
Perform exercises below frequently: 30 reps 3-5x a day


Grip Squeeze



Elbow active range of motion



Pendulum



Shoulder Shrugs



Ice x 10-15min 2-3 x per day



Appointments?? Questions??

WBAMC PT: DSN:979-2181/1848 COMM: (915)569-2181/1848