



PHYSICAL THERAPY SECTION
WILLIAM BEAUMONT ARMY MEDICAL CENTER
5005 N. PIEDRAS ST
EL PASO, TEXAS 79920



BICEP TENODESIS

Revised February 2009

Post-op Days 1 – 7

Sling x 6 weeks – Even while sleeping
Place pillow under shoulder / arm while sleeping for comfort
NO RESISTED Shoulder Abduction/Flexion or Elbow Flexion/Supination x 6 wks.
Hand squeezing exercises
Elbow and wrist active motion (AROM) with shoulder in neutral position at side
Supported pendulum exercises
Shoulder shrugs / scapular retraction without resistance
Ice pack

Goals – pain control/protection

Week 1 - 6

Continue sling x 6 weeks
Continue appropriate previous exercises
Full pendulum exercises
AROM/AAROM as tolerated (pulleys/wand/wall walks)
1-2 Finger Isometrics x 6 (fist in box)
Stationary bike (must wear sling)

Goal – Full AROM

Weeks 6 – 9

D/C Sling
Continue appropriate previous exercises
Rotator cuff strengthening with Theraband
– ER and IR arm at side with rolled towel in axilla
– Flexion to 60 degrees
– Abduction to 60 degrees
– Scaption to 60 degrees
– Extension to 30 degrees
Standing rows with Theraband
Resistive elbow / wrist exercises with light dumbbell
Push-up progression – Wall, etc
Body Blade
Ball on wall (arcs, alphabet)
BAPS / BOSU on hands
UBE – Forwards and backwards at low resistance
Elliptical trainer
Stairmaster
Pool walking / running – No UE resistive exercises

Goals – 30 wall push- ups

Weeks 9 – 12

Continue appropriate previous exercises with increased resistance
PROM / mobilization as needed to regain full ROM
Seated row weight machine with light weight
Push-up progression – Wall to table
Ball toss with arm at side using light ball
Treadmill – Running progression program
Pool therapy – With UE resistance

Goal – Rotator cuff strength WNL

Months 3 – 4

Continue appropriate previous exercises
Fitter on hands
Ball toss overhead
Weight training with light resistance (no overhead press, pull downs, lateral lifts)
Push-up progression – Table to chair

Goals - Run 2 miles at easy pace, 30 chair push-ups

Months 4 – 6

Continue appropriate previous exercises
Push-ups, regular
Sit-ups
Gravitron – Pull-ups and dips
Swimming
Running progression to track
Progressive weight training program
Transition to home / gym program

Goals

Resume all activities
Pass APFT at 6 months post-op

No contact sports until 6 months post-op

BRYAN L. BOYEA
LTC, SP
Chief, Physical Therapy

MICHAEL S. MACHEN
LTC(P), MC
Chief, Orthopedics

Physical Therapy Clinic
William Beaumont Army Medical Center
El Paso, TX 79920


Shoulder Post Op Phase 1

Perform exercises below frequently: 30 reps 3-5x a day


Grip Squeeze



Elbow active range of motion




Pendulum



Shoulder Shrugs



Ice x 10-15min 2-3 x per day



Appointments?? Questions??

WBAMC PT: DSN:979-2181/1848 COMM: (915)569-2181/1848